



File: 9000472

November 10, 2022

British Columbia Hydro And Power Authority
12th Floor - 333 Dunsmuir Street
Vancouver, BC
V6B 5R3

Dear Sir or Madam,

Re: Order Associated with Section 11 Change Approval Application – 9000472

An Order under Section 26 (1) (b) of the *Water Sustainability Act* has been issued to amend clause 4 in the original Approval 9000472 that was issued October 23, 2019.

The permit holder is required to adhere to all other applicable Provincial and Federal Regulations; including, but not limited to, the *Water Sustainability Act* and the *Water Sustainability Regulation*.

The *Water Sustainability Act* gives the recipient of this notice the right to appeal my decision. You may file an appeal within 30 days of the date indicated on this letter. Information on filing an appeal can be found on the Environmental Appeal Board website at <http://www.eab.gov.bc.ca/>.

Dave Francis
Water Manager

Province of British Columbia

Water Sustainability Act

ORDER

SECTION 26(1)(b)

In the matter of Section 11 Change Approval, file No. 9000472 for 5L005 East Transmission Line by British Columbia Hydro and Power Authority.

I hereby amend clause 4 to read as follows:

4) The works authorized shall be completed by December 31, 2024.

The permit holder is required to adhere to all other terms and conditions in Approval file No. 9000472 and applicable Provincial and Federal Regulations.

Dated at the City of Prince George, British Columbia, this 10th day of November 2022.



Dave Francis
Water Manager



File: 9000472

October 23, 2019

British Columbia Hydro and Power Authority

12th Floor - 333 Dunsmuir Street
Vancouver, BC
V6B 5R3

Dear Sir or Madam:

Re: Change Approval Application – 900472 (Pine Moberly – Transmission Line)

Approval for the above has been granted and a Section 11 Change Approval document verifying this is attached.

The Approval holder is required to adhere to all other applicable Provincial and Federal regulations.

An environmental monitor shall be present during instream work.

Section 105 of the *Water Sustainability Act* gives the recipient of this notice the right to appeal my decision. You may file an appeal within 30 days of the date indicated on this letter. Information on filing an appeal can be found on the Environmental Appeal Board WEB site at <http://www.eab.gov.bc.ca/>.

If you have any questions or concerns regarding the document issued, please contact Rebecca Collier in the Prince George office at (778) 693-2775.

Yours truly,

Dave Francis
Water Manager

Enc.

Ministry of Forests, Lands, Natural Resource Operations and Rural Development, Resource Stewardship Division, Water Management Branch, Gypsy Fisher, P.Geo.
T.E. Little Consulting Inc., Tim Little [REDACTED]
EDI Environmental Dynamics Inc., Jason Yarmish, Prince George BC

Section 11 (1)
Change Approval

British Columbia Hydro and Power Authority, 12th Floor-333 Dunsmuir Street, Vancouver, BC V6B 5R3 and their agents are hereby authorized to make changes in and about a stream as follows:

- 1) The location of the unnamed streams are outlined in the table below and are contained within the document titled, "Site C Clean Energy Project Water Sustainability Act s.11 Approval 5L005 East Transmission Line: Conductor Stringing Description of Activities and Works.", prepared by BC Hydro.

Table 1. Location of Unnamed Streams

Site ID #	Latitude	Longitude	Legal Land Description
45/1	56.003686	-121.548914	That Part of Unsurveyed Crown land within the Peace River District being the bed of the Moberly River as shown on Plan 30396
35/3	56.02437	-121.398929	That Part of Unsurveyed Crown land within the Peace River District being the bed of the Moberly River as shown on Plan 30396
26/1	56.05324	-121.261164	That part of District Lot 3213 Peace River District as shown on plan 31320
16/2	56.094005	-121.116043	That Part of Unsurveyed Crown Land within Peace River District as shown on Plan 31320
16/1	56.094049	-121.115013	That Part of Unsurveyed Crown Land within Peace River District as shown on Plan 31320
13/2	56.106429	-121.106429	That Part of Unsurveyed Crown Land within Peace River District as shown on Plan 31320
12/1	56.109866	-121.060134	That Part of Unsurveyed Crown Land within Peace River District as shown on Plan 31320
11/2	56.112037	-121.052473	That Part of Unsurveyed Crown Land within Peace River District as shown on Plan 31320
10/1	56.119046	-121.029991	That Part of Unsurveyed Crown Land within Peace River District as shown on Plan 31320
7/3	56.12936	-120.991093	That Part of Unsurveyed Crown Land within Peace River District as shown on Plan 31320
7/2	56.130659	-120.986048	That Part of Unsurveyed Crown Land within Peace River District as shown on Plan 31320
6/1	56.135305	-120.97011	That Part of District Lot 2621 Peace River District as shown on Plan 30395
5/2	56.137155	-120.965396	That Part of District Lot 2621 Peace River District as shown on Plan 30395
4/3	56.14571	-120.955677	That Part of District Lot 2621 Peace River District as shown on Plan 30395
4/2	56.14832	-120.952389	That Part of District Lot 2621 Peace River District as shown on Plan 30395

- 2) The changes to be made in and about the stream are:
 - The infilling and partial infilling of 10.3 ha of wetland within the Statutory Right of Way.
- 3) All work will be as described in the Section 11 Application and the document titled "Site C Clean Energy Project Water Sustainability Act s.11 Approval 5L005 East Transmission Line: Conductor Stringing Description of Activities and Works" dated June 25, 2019.
- 4) The works authorized shall be completed by March 31, 2020.
- 5) Any significant departures from the approved plans and specifications as outlined in clause (3) will be submitted to the Water Manager for approval at least ten (10) working days prior to any changes being made in the field.
- 6) The following documents/plans shall be followed during the commencement of the work outlined in clause (2) above;
 - Construction Environmental Management Plan (CEMP),
 - Wetland Mitigation and Compensation Plan (WMCP)
- 7) All work shall be done in accordance with the "Standards and Best Practices for Instream Works" (WLAP 2004) and as stated in the documents within clause (3).
- 8) All instream works or work occurring in environmentally sensitive areas will be constructed under on-site supervision of an appropriately qualified Environmental Monitor (EM).
- 9) All instream work shall be undertaken during the appropriate instream work window unless otherwise authorized by appropriate Provincial or Federal agencies.

- 10) Equipment operating near the stream shall be free of external grease, oil or fluid leaks and an emergency spill response kit shall be kept on-site. Refueling of machinery shall be conducted to ensure that deleterious substances shall not enter the watercourse.
- 11) Care shall be exercised during all phases of construction to minimize the escape of sediment laden water from the watercourse.
- 12) All excavated material shall be placed in a stable area above the high water mark of the stream, in a location which ensures that sediment or debris does not enter the watercourse, and protected from erosion by planting grass and/or vegetation.
- 13) This document does not supersede the requirements of the *Water Sustainability Act* and regulations, *Federal Fisheries Act* or any other related legislation. The proponent is obligated to comply with all federal, provincial and municipal legislation.
- 14) This Approval does not authorize entry onto private land. It is the responsibility of the holder of this Approval to obtain appropriate landowner permissions/agreements prior to the works occurring.
- 15) The holder of this Approval shall take reasonable care to avoid damaging any land, works, trees or other property, and shall make full compensation to the owners for any damage or loss resulting from the exercise of the rights granted with this Approval.
- 16) The holder of this approval shall notify the Water Manager under the *Water Sustainability Act* when the changes have been completed.
- 17) The changes shall be completed to the satisfaction of the Water Manager under the *Water Sustainability Act*.
- 18) This Approval, or a copy of it, shall be kept or posted on the work site so that it may be shown to a Ministry official upon request.



Dave Francis
Water Manager

Date Issued: October 23, 2019

Approval/File No. 9000472