

**MAIN CIVIL WORKS CONTRACT**

**SCHEDULE 6**

**SPECIFICATIONS AND DRAWINGS**

**TABLE OF CONTENTS**

**1 INTERPRETATION..... 2**

1.1 Definitions ..... 2

1.2 Read Together ..... 2

1.3 Section References..... 2

1.4 Miscellaneous ..... 3

**2 ENGINEERING AND DRAFTING STANDARDS..... 3**

**3 DRAWINGS ..... 4**

3.1 Drawings Provided to the Contractor ..... 4

3.2 Drawings Provided by the Contractor ..... 4

3.3 As-Constructed Information ..... 4

3.4 Record Drawings ..... 4

3.5 Marked-Up IFC Drawings ..... 5

3.6 Review of Drawings ..... 5

**4 TEST AND SURVEY REPORTS..... 6**

**5 GENERAL..... 6**

5.1 Language and Units ..... 6

**APPENDIX 6-1 SCOPE OF WORK**

**APPENDIX 6-2 TECHNICAL SPECIFICATIONS**

**APPENDIX 6-3 DRAWINGS**

**MAIN CIVIL WORKS CONTRACT**  
**SCHEDULE 6**  
**SPECIFICATIONS AND DRAWINGS**

**1 INTERPRETATION**

1.1 Definitions

In this Schedule 6 [Specifications and Drawings], in addition to the definitions set out in Schedule 1 [Definitions and Interpretation]:

“**APEGBC**” means the Association of Professional Engineers and Geoscientists of British Columbia;

“**Drawings**” means all drawings contained in Appendix 2-5 [Proposal Extracts], Appendix 6-3 [Drawings] and otherwise prepared in accordance with the Contract Documents, as may be amended, deleted or added to pursuant to the terms of the Contract Documents;

“**Equivalent**” means materials, products or equipment that Hydro’s Representative has approved in writing may be used in substitution for materials, products or equipment specified in the Specifications or Drawings;

“**Marked Up IFC Drawing**” has the meaning set out in Clause 3.5(a) of this Schedule 6 [Specifications and Drawings];

“**Record Drawing**” has the meaning set out in Clause 3.4(a) of this Schedule 6 [Specifications and Drawings]; and

“**Specifications**” or “**Technical Specifications**” means the contents of Appendix 6-2 [Technical Specifications], as may be amended, deleted or added to pursuant to the terms of the Contract Documents.

1.2 Read Together

The Specifications and Drawings are complementary and will be read and interpreted together and, as the context requires, what is required by any one Specification or Drawing will be deemed to be required by all Specifications and Drawings.

1.3 Section References

In this Schedule 6 [Specifications and Drawings]:

- (a) when the phrase “this Section” is used in Appendix 6-2 [Technical Specifications], it refers to the section in which the reference is made. For illustration, when the phrase “this Section” is used in Section 13 60 00 [Diversion Hydromechanical Equipment] of Appendix 6-2 [Technical Specifications], the reference is to Section 13 60 00 [Diversion Hydromechanical Equipment] of Appendix 6-2 [Technical Specifications]; and
- (b) in Appendix 6-2 when the phrase “Section xx xx xx [Name of Section]” is used, it refers to another Section of Appendix 6-2 [Technical Specifications]. For illustration, “as specified in Section 05 12 23 [Structural Steel, Miscellaneous Metals and Embedded Parts]” is a reference to Section 05 12 23 [Structural Steel, Miscellaneous Metals and Embedded Parts] of Appendix 6-2 [Technical Specifications].

#### 1.4 Miscellaneous

In this Schedule 6 [Specifications and Drawings]:

- (a) wherever the words “directed”, “required”, “permitted”, “approved”, “approval”, “specified”, “accepted” or “acceptance” are used, such words, as the context allows, will be deemed to be followed by the words “by Hydro’s Representative”, whether or not the latter words appear;
- (b) wherever the words “as indicated”, “where indicated” or “as otherwise indicated” are used, such words, as the context allows, will be deemed to be followed by the words “in the Contract Documents”, whether or not the latter words appear;
- (c) wherever the capitalized term “Equal” is used, it will be deemed to mean Equivalent;
- (d) any reference to “Ministry of Transportation and Infrastructure Representative” will, as the context may require, be deemed to be a reference to Hydro’s Representative;
- (e) no revision of any Technical Specification or Drawing that has been issued or approved by Hydro’s Representative will be valid unless and until the revision is approved by Hydro’s Representative in writing;
- (f) any requirement for Work on Site to be approved by BC Hydro, including Hydro’s Representative, before proceeding will be deemed to be a Hold Point;
- (g) any reference to the Work or the performance of the Work will be deemed to include work to be performed by a Subcontractor;
- (h) the words “confirmed in writing” or words with similar meaning shall be deemed to mean confirmed in writing in advance of the applicable action being taken or activity performed;
- (i) the words ‘re-work’ or ‘replacement’ or words with similar meaning shall be deemed to be mean that the Contractor will perform such re-work or replacement as part of the Work at no additional cost to BC Hydro;
- (j) the obligations are written as obligations of the Contractor except as expressly stated otherwise; and
- (k) reference to “Laws” will be deemed to include a reference to “Permits”.

## **2 ENGINEERING AND DRAFTING STANDARDS**

Notwithstanding anything to the contrary in the Contract, the Contractor will, in preparing any Drawings, comply with the following, copies of which are in the Data Room and are included in the Contract by reference:

- (a) BC Hydro engineering standards as referenced in Appendix 6-2 [Technical Specifications]; and
- (b) BC Hydro’s drafting requirements for preparation of Drawings showing permanent works located in the Data Room (DR# 1016.REF.00670).

### 3 DRAWINGS

#### 3.1 Drawings Provided to the Contractor

- (a) The Drawings in Appendix 6-3 [Drawings] include drawings provided to the Contractor, including as part of RFP #1824. Such Drawings are only intended to indicate the location, type and scope of Work and are not to be relied upon by the Contractor for construction of the Work.
- (b) As set out in Section 3.18 of Schedule 2 [General Conditions], only the IFC Drawings are to be used by the Contractor for construction of the Work.
- (c) The Contractor will verify on Site all levels and dimensions indicated on the IFC Drawings before commencing construction and will notify Hydro's Representative of any differences or discrepancies between the levels and dimensions measured on Site and such levels and dimensions on the IFC Drawings.
- (d) The Contractor will not determine any dimensions by taking measurements from the Drawings.

#### 3.2 Drawings Provided by the Contractor

- (a) The Contractor will prepare and issue IFC Drawings for all aspects of Design-Build Work in accordance with Appendix 6-2 [Technical Specifications].
- (b) All Drawings required to be prepared by the Contractor under the Contract Documents will comply with the engineering and drafting standards specified in this Schedule 6 [Specifications and Drawings].

#### 3.3 As-Constructed Information

- (a) For all Work, the Contractor will record as-constructed information concurrently with, and in any event no later than seven days after, the performance of such Work.
- (b) The Contractor will not conceal any Work until the required information is recorded in accordance with Sections 3.4 and 3.5 of this Schedule 6 [Specifications and Drawings].

#### 3.4 Record Drawings

- (a) The Contractor will prepare Drawings for all aspects of the Design-Build Work that record the Work as-constructed by the Contractor ("**Record Drawings**").
- (b) All Record Drawings will:
  - (i) be marked "Record Drawing";
  - (ii) accurately show all as-constructed information, including:
    - (A) the final location, layout, dimensions and details of the Work in accordance with the Contract Documents;
    - (B) field changes of dimensions and details;
    - (C) changes to the Work made by Change Orders and Change Directives;

- (D) any details not included on the Drawings provided to the Contractor or on the drawings prepared by the Contractor; and
- (E) any other deviations from the Contract Documents;
- (iii) be based on the IFC Drawings prepared by the Contractor in their native file format, which for works incorporated into the permanent Work, will be AutoCAD 2014 or other software Accepted by Hydro's Representative;
- (iv) meet the requirements set out in APEGBC's Quality Management Guidelines entitled "Use of the APEGBC Seal"; and
- (v) be sealed, signed and dated by a Professional Engineer in accordance with APEGBC acceptable practice.

### 3.5 Marked-Up IFC Drawings

- (a) For all Work other than the Design-Build Work, the Contractor will mark-up the IFC Drawings provided to the Contractor for such Work to record any difference between such IFC Drawings and the Work constructed by the Contractor ("**Marked-Up IFC Drawings**").
- (b) All Marked-Up IFC Drawings will:
  - (i) be marked "Marked-Up IFC Drawing";
  - (ii) accurately, neatly and legibly show all as-constructed information, including:
    - (A) the final location, layout, dimensions and details of the Work in accordance with the Contract Documents;
    - (B) field changes of dimensions and details;
    - (C) changes to the Work made by Change Orders and Change Directives;
    - (D) any details not included on the Drawings provided to the Contractor or on the drawings prepared by the Contractor; and
    - (E) any other deviations from the Contract Documents;
  - (iii) be based on the IFC Drawings and supplementary Drawings (if any) provided by Hydro's Representative in PDF format; and
  - (iv) be prepared using Autodesk Design Review, or other software Accepted by Hydro's Representative.

### 3.6 Review of Drawings

- (a) No later than 60 days after the end of each calendar year, the Contractor will submit to Hydro's Representative for Review a full set of the Marked-Up IFC Drawings and Record Drawings for Work completed during that year, as follows:
  - (i) two copies of each drawing in hard copy form;

- (ii) one electronic copy of each Marked-Up IFC Drawing and supplementary drawing in its native Autodesk Design Review format, or other native file format Accepted by Hydro's Representative; and
  - (iii) one electronic copy of each Record Drawing in its native AutoCAD 2014 file format, or other native file format Accepted by Hydro's Representative.
- (b) Hydro's Representative may at any time request copies of the Record Drawings and Marked-Up IFC Drawings for review. The Contractor will submit electronic copies of the requested drawings no later than 72 hours after receiving such a request.

#### **4 TEST AND SURVEY REPORTS**

- (a) Where testing is required pursuant to Appendix 6-2 [Technical Specifications], the Contractor will submit the results of such testing to Hydro's Representative in a report which complies with the following requirements:
- (i) reporting for each type of test will conform to the requirements of the relevant standards specified in Appendix 6-2 [Technical Specifications];
  - (ii) the report will include, at a minimum:
    - (A) the location of the test or of the sampling of material tested in accordance with the UTM Zone 10 NAD 83 system;
    - (B) for material sampled or tested at the fabrication site, the approximate location of the destination of the material representative of the sample;
    - (C) the time, date and the weather conditions at the time of sampling or testing; and
    - (D) the names of the person(s) carrying out the sampling or testing; and
  - (iii) in addition to the requirements of Appendix 6-2 [Technical Specifications], all data will be submitted in comma-separated-value (.csv) format.
- (b) Surveying of the final surfaces of excavations and structures specified in Clause 3.2.1.1 of Section 01 11 10 [Scope of Work] will be provided in accordance with the UTM Zone 10 NAD 83 system and supplied to Hydro's Representative in comma-separated-value (.csv) format.

#### **5 GENERAL**

##### **5.1 Language and Units**

In the Specifications and Drawings:

- (a) The language to be used for all nameplates and documentation is English;
- (b) The units of measurement shall be the International System of Units (SI);
- (c) All instrument graduations and inscriptions shall comply with the SI system;
- (d) The Universal Transverse Mercator (UTM) LiDAR data produced for the Site C Project is to NAD-83 datum, UTM Zone 10 and orthometric heights; and

- (e) The standard drawing format is ISO A0.