

## **Site C Clean Energy Project**

### **Temporary Upstream Fish Passage Facility Operations Report**

**Reporting Period: October 1 to 31, 2023**

Prepared by BC Hydro

November 14, 2023

## Introduction

BC Hydro diverted the Peace River through two diversion tunnels on the left bank of the dam site during the fall of 2020. River diversion represented the first activity in the construction of the Site C Clean Energy Project (the Project) to affect upstream fish movement in the Peace River (EIS, Volume 2, Appendix Q<sup>1</sup>). As such, the temporary upstream fish passage facility (hereafter temporary facility) was operated to pass fish upstream and allow them to fulfill portions of their lifecycles upstream of the Project.

Note that the temporary facility will operate during the river diversion phase of construction (2020 to 2023) on the left bank of the Peace River at the outlet of the diversion tunnels. BC Hydro intends to operate the temporary facility from April 1 to October 31 each year based on the timing of fish movements in the Peace River and to avoid damaging mechanical equipment during cold weather conditions from November to March. Following the closure of the diversion tunnels and reservoir filling in the fall of 2023, the permanent upstream fish passage facility (hereafter permanent facility) will be operated at the outlet of the generating station to provide fish passage during the operation phase of the Project.

## Structure of the report

This report summarizes the data and information presented in weekly reports prepared by the facility operator, as described in the Manual of Operational Parameters and Procedures (OPP), and covers the full extent of operations in October 2023. Note that the facility was shutdown following the last day of operation on October 31.

This report has the following sections:

- Biological operation;
- Environmental conditions;
- Mechanical operation; and
- Adjustments.

Biological operation is defined as the sorting, sampling, tagging, transport and release of fish. Mechanical operation is defined as the operation of the pumps, gates, crowder, lock, sensors, loggers, and other mechanical equipment to ensure the temporary facility achieves the biological objectives described in Section 4.1 of the Fish Passage Management Plan<sup>2</sup>.

## Summary

Eight hundred and seventy six fish – 795 Mountain Whitefish, 49 Largescale Sucker, 23 Longnose Sucker, 4 Arctic Grayling, 2 Slimy Sculpin, 1 Northern Pikeminnow, 1 Rainbow Trout, and 1 Redside Shiner – were sorted and sampled at the temporary facility, and transported and released into the Peace River upstream of the Project (Table 1).

Appendix I provides a high-level summary of operation of the temporary facility during the reporting period.

Appendix II summarizes the total flow diverted from the Peace River to operate the temporary facility during the reporting period.

---

<sup>1</sup> Available at: [https://www.ceaa-acee.gc.ca/050/documents\\_staticpost/63919/85328/Vol2\\_Appendix\\_Q.pdf](https://www.ceaa-acee.gc.ca/050/documents_staticpost/63919/85328/Vol2_Appendix_Q.pdf)

<sup>2</sup> Available at: <http://sitecproject.com/sites/default/files/Fish%20Passage%20Management%20Plan.pdf>

## Biological operation

In total, 876 fish were sorted in the temporary facility during the reporting period (Table 1; Figure 1). Twenty-one mortalities were observed during the reporting period (1.0% of all fish sorted in 2023), which is in-line with the anticipated levels of mortality during operations<sup>3</sup>.

**Table 1.** Total number of fish sorted, sampled, transported and released during the reporting period.


Species	Sorted	Transported and released	PIT tagged	Mortalities	Genetics	Microchemistry or ageing
Arctic Grayling	4	4	2	0	4	4
Brook Stickleback						
Brook Trout						
Bull Trout						
Burbot						
Finescale Dace						
Flathead Chub						
Goldeye						
Kokanee						
Lake Chub						
Lake Trout						
Lake Whitefish						
Largescale Sucker	49	49	43	0	N/A	N/A
Longnose Dace						
Longnose Sucker	23	23	23	1	N/A	N/A
Mountain Whitefish	795	795	608	20	N/A	11
Northern Pike						
Northern Pikeminnow	1	1	N/A	0	N/A	N/A
Northern Redbelly Dace						
Peamouth						
Pearl Dace						
Prickly Sculpin						
Pygmy Whitefish						
Rainbow Trout	1	1	1	0	1	1
Redside Shiner	1	1	N/A	0	N/A	N/A
Slimy Sculpin	2	2	N/A	0	2	N/A
Spoonhead Sculpin						
Spottail Shiner						
Trout-perch						
Walleye						
White Sucker						
Yellow Perch						
<b>Grand total</b>	876	876	677	21	7	16

Not all fish species were PIT tagged or sampled for genetics, microchemistry, or ageing, as described in the OPP.

<sup>3</sup> The FAA for Main Civil Works and Facility Operations ([15-HPAC-01160](#)) describes an acceptable level of incidental mortality to be no more than 5% of the total number of fish sorted in the temporary facility on an annual basis.

Between zero and 147 fish were sorted daily during the reporting period (Figure 1).


**Figure 1.** Daily number of fish sorted in the temporary facility during the reporting period.



## Environmental conditions


Discharge in the Peace River fluctuated during the reporting period from a low of 426 cms on October 18 to a high of 1210 cms on October 27 (Figure 2).

**Figure 2.** Discharge in the Peace River during the reporting period as measured at the Peace River above Pine River (07FA004) Water Survey of Canada (WSC) hydrometric station. Data were downloaded from the WSC on November 7; the downloaded data were provided at 5-minute intervals and were listed as provisional by the WSC.




Air temperature fluctuated during the reporting period from a low of -12.4°C on October 25 to a high of 28.1°C on October 7 (Figure 3).

**Figure 3.** Mean daily air temperature (black line; °C) during the reporting period as measured by a temperature sensor at the temporary facility (TT-602). Shaded area represents the minimum and maximum daily air temperatures.



Water temperature steadily decreased during the reporting period (Figure 4). Dissolved oxygen remained above the minimum dissolved oxygen level (8.0 mg/L) described in the design report of the temporary facility.

**Figure 4.** Daily water temperature (°C) and dissolved oxygen (mg/L) during the reporting period as measured in the pre-sort holding pool of the temporary facility.




## Mechanical operation

Operation of the attraction flows and high velocity jet intends to attract fish towards the fishway entrance. Once fish have entered the temporary facility, flows within the fishway intend to provide a flow signal for fish to detect and swim up each pool to the sorting facility.

BC Hydro operated the attraction flows as described in Section 3.2.1.3 of the OPP, whereby conditions were changed every 8 hours during the reporting period (Figure 5). BC Hydro did not operate the high velocity jet during the reporting period as monitoring data from 2022 suggested that the high velocity jet (1) did not improve the ability of fish to approach and enter the facility and (2) interfered with the ability of monitoring equipment to detect tagged fish and determine the biological effectiveness of the facility.

**Figure 5.** Operation of the attraction flows and high velocity jet during the reporting period.



Fish were crowded daily from the pre-sort holding pool into the fish lock. Operators then proceeded to raise crowded fish to the elevation of the sorting facility. Note that this process is referred to as a “sorting cycle”. Between two and four sorting cycles were conducted each day during the reporting period (Table 2).

**Table 2.** Daily total number of sorting cycles.

<b>Date</b>	<b>Number of sorting cycles</b>	<b>Start time</b>
2023-10-01	4	07:30, 09:30, 11:00, 13:00
2023-10-02	4	07:30, 09:30, 11:00, 13:00
2023-10-03	4	07:30, 09:30, 11:00, 13:00
2023-10-04	4	07:30, 09:30, 11:00, 13:00
2023-10-05	4	07:30, 09:30, 11:00, 13:00
2023-10-06	4	07:30, 09:30, 11:00, 13:00
2023-10-07	3	07:30, 11:00, 13:00
2023-10-08	3	07:30, 11:00, 13:00
2023-10-09	3	07:30, 09:30, 11:00
2023-10-10	4	07:30, 09:30, 11:00, 13:00
2023-10-11	4	07:30, 09:30, 11:00, 13:00
2023-10-12	2	09:30, 13:00
2023-10-13	4	07:30, 09:30, 11:00, 13:00
2023-10-14	4	07:30, 09:30, 11:00, 13:00
2023-10-15	4	07:30, 09:30, 11:00, 13:00
2023-10-16	4	07:30, 09:30, 11:00, 13:00
2023-10-17	4	07:30, 09:30, 11:00, 13:00
2023-10-18	4	07:30, 09:30, 11:00, 13:00
2023-10-19	4	07:30, 09:30, 11:00, 13:00
2023-10-20	4	07:30, 09:30, 11:00, 13:00
2023-10-21	4	07:30, 09:30, 11:00, 13:00
2023-10-22	4	07:30, 09:30, 11:00, 13:00
2023-10-23	3	08:00, 11:00, 13:00
2023-10-24	2	11:00, 13:00
2023-10-25	3	08:00, 11:00, 13:00
2023-10-26	3	08:00, 11:00, 13:00
2023-10-27	3	08:00, 11:00, 13:00
2023-10-28	3	08:00, 11:00, 13:00
2023-10-29	3	08:00, 11:00, 13:00
2023-10-30	2	08:00, 11:00
2023-10-31	3	08:00, 11:00, 13:00

**Table 3.** Summary of standby or shutdown periods during the reporting period.

<b>Date</b>	<b>Standby or shutdown</b>	<b>Rationale</b>
2023-10-11 14:10 to 2023-10-12 07:00	Shutdown	Water level differential between the diversion tunnel outlet and the pump wet well exceeded 4 meters, which lead to the operator temporarily shutting the facility down to clean the screen intakes and 'reset' the wet well. Water level differentials greater than 4 meters increases the risk of causing extensive damage to mechanical equipment (e.g., vertical pumps).
2023-10-23 14:00 to 2023-10-24 07:04		

**Table 4.** Root causes and corrective actions as a result of equipment malfunctions, breakdowns, or damage during the reporting period.

<b>Date</b>	<b>Malfunction, breakdown or damage</b>	<b>Description</b>	<b>Root cause</b>	<b>Corrective action</b>
N/A	N/A	N/A	N/A	N/A

## Adjustments

Several adjustments were made during the reporting period to improve the biological and mechanical operation of the temporary facility (Table 5). BC Hydro described the potential for adjustments to the day-to-day biological and mechanical operation of the temporary facility in Section 7 of the Fish Passage Management Plan<sup>2</sup>. In general the temporary facility was operated as planned and described in the OPP.

**Table 5.** Summary of adjustments made to the biological and mechanical operation of the temporary facility during the reporting period.

Component	Adjustment
Mechanical operation	Low river levels, hydraulics, and debris build-up resulted in a large water level differential at the pump screen intakes on October 11 and 23 (Table 3). Shutting the facility down for a brief period (12 to 24 hours) to clean the screens and 'reset' the differential appeared to help solve the problem and avoid mechanical damage.
Biological operation	River otters continue to routinely predate on fish in and around the facility, and use facility infrastructure (e.g., baffle walls, fish crowder) to assist in the capture and consumption of fish. Otters and otter sign continue to be observed by the facility operator, with a portion of the mortalities observed during the reporting period being attributed to otter predation (Table 1).  Deterrence through sound and scent aversion and human presence has been ineffective since 2021. BC Hydro continued efforts to mitigate this issue through the deployment of live traps. Two river otters were trapped during the reporting period and relocated to Dinosaur Reservoir.

## Photos

**Photo 1.** Cold air temperatures challenged the operation of the temporary facility during the reporting period (October 25, 2023).



## Prepared by

This report was prepared by the following individuals:

Qualified Individual	Expertise
Brent Mossop, MRM, RPBio	Fisheries
Nich Burnett, MSc, RPBio	Fisheries

**Appendix I.** High-level summary of operation of the temporary facility during the reporting period.

From: Brent Mossop and Nich Burnett, Fish and Aquatic – Site C Clean Energy Project  
 Reporting Period: October 1 to 31, 2023  
 Subject: Monthly Update on Upstream Fish Passage



876 fish passed



8 species sorted at facility



Operated facility for 31 days

Category	Performance	Commentary
Safety	Meets or Exceeds Expectations	<ul style="list-style-type: none"> <li>Effective interfaces among contractors</li> </ul>
Fish Passage <sup>1</sup>	Nearing Expectations	<ul style="list-style-type: none"> <li>Passed 876 fish, however passage at top below expectations</li> </ul>
Sorting & Transport	Meets or Exceeds Expectations	<ul style="list-style-type: none"> <li>Sorted 8 species, including 795 Mountain Whitefish</li> </ul>
Fish Mortality	Nearing Expectations	<ul style="list-style-type: none"> <li>Twenty-one mortalities during reporting period</li> <li>Survival rate 99% for all fish sorted in 2023</li> </ul>
Operation Within Criteria	Meets or Exceeds Expectations	<ul style="list-style-type: none"> <li>Operated within design criteria</li> </ul>
External Communication	Meets or Exceeds Expectations	<ul style="list-style-type: none"> <li>Provided updates to agencies and Indigenous nations</li> </ul>
Effectiveness Monitoring	Meets or Exceeds Expectations	<ul style="list-style-type: none"> <li>Monitoring equipment performing well</li> </ul>
Learning & Adjustment	Meets or Exceeds Expectations	<ul style="list-style-type: none"> <li>Continue to mitigate otter predation through live trapping and relocation away from the facility</li> </ul>



<sup>1</sup> Infographic available here: <https://www.sitecproject.com/sites/default/files/fish-passage-facility.pdf>


**Target Species**



Bull Trout




Rainbow Trout



Arctic Grayling

**Appendix II.** (A) Total flow (cms) diverted from the Peace River to operate the temporary facility during the reporting period. Total flow is a combination of flows used for the attraction flows and high velocity jet (B), fishway (C), fish lock (D), and sorting facility (E), as described in T023 Plan for Measurement of Flow. Under Conditional Water Licence 133987<sup>4</sup>, BC Hydro is authorized to divert up to 15 cms of flow from the Peace River to operate the temporary facility; this authorized quantity was not exceeded during the reporting period (A).



<sup>4</sup> Available at: <http://siteproject.com/sites/default/files/fish-passage-facility-water-licences-133986-133987.pdf>