

MONTHLY FIELD STUDIES SUMMARY

July and August 2012

The Site C Clean Energy Project (Site C) is now in Stage 3, the environmental and regulatory review phase, which will include an independent environmental assessment. Stage 3 work includes conducting environmental and engineering field studies on and around the Peace River between the Williston Reservoir and the Alberta border.

An overview of studies that will be taking place in July and August 2012 is below. Additional study activities may occur; notice of these studies will be posted at www.bchydro.com/sitec.

Overview
Socio-Economic Studies
◆ Agricultural Assessment Study
◆ Heritage Study Program
◆ Forestry Surveys
◆ Socio-Economic Assessment
Wildlife Studies
◆ Migratory Birds Study Program
◆ Dragonfly Study
◆ Bat Study
◆ Avian Study Program
◆ Fisher Study Program
Vegetation Assessments
◆ Rare Plants Study
◆ Habitat Mapping Ground Surveys
Physical Environment Studies
◆ Baseline Groundwater Monitoring
◆ Geomorphology and Sediment Transport Studies
◆ Climate and Air Quality Monitoring
Fish and Aquatic Studies
◆ Peace River Fish and Fish Habitat Inventories
◆ Peace, Pine, Moberly and Halfway River Fish Movement
◆ Aquatic Productivity and Modelling Study
Engineering Investigations
◆ Construction Materials Investigation
◆ Geotechnical Investigations and Instrumentation Monitoring
◆ Adit Construction

Some field studies may require access to public and private land. BC Hydro will obtain permission before accessing private property and will notify property owners who may be directly impacted by helicopters. Ongoing regular BC Hydro work, in addition to the Site C field study activities outlined here, may be taking place on the Peace River and tributaries. This work is related to BC Hydro's Peace River water license requirements program or other operations work.

Field study updates are available at www.bchydro.com/sitec and in the Community Consultation offices in Fort St. John and in the Pearkes Centre in Hudson's Hope.

For further information, please contact:
Kate O'Neil, Community Relations
 Office: 250-785-3415 Cell: 250-793-5416

July and August 2012

Study Name	Description	Timing
<p>Socio-Economic Studies – Agricultural Assessment Study</p>	<p>BC Hydro is conducting an agricultural assessment study for the Site C project.</p> <p>Building on work from 2011, the field program will verify and refine agricultural resource mapping.</p> <p>The study will update and gather additional data on agricultural resources in the study area and will involve inspections of the land to assess soil capability. It may involve subsurface testing, consisting of periodic shovel tests supplemented in some cases by use of hand augers.</p> <p>Soil samples may be taken off-site for laboratory testing of agricultural capability parameters including texture, pH, salinity, etc. The lab analyses will not be carried out for contamination testing purposes.</p> <p>Surveys will occur within sites that will be directly affected by the proposed project, along the transmission line, dam site, Highway 29 realignment areas and within the areas included within the project erosion impact line.</p>	<p>June – September 2012</p>
<p>Socio-Economic Studies – Heritage Study Program</p>	<p>Starting in June and running through October, BC Hydro will be continuing the Heritage Study Program of the Site C project area.</p> <p>The assessment will identify, record and evaluate archaeological, historical and palaeontological sites located within the proposed Site C project area; assess potential impacts by the Site C project to these sites; and recommend mitigation options.</p> <p>The majority of the work will be shovel tests, as well as visual inspections of areas with good soil exposures, such as freshly tilled fields.</p> <p>Crews will be primarily on foot, with land access by road or boat, supported occasionally by helicopter or all-terrain vehicles.</p>	<p>June - October 2012</p>
<p>Socio-Economic Studies – Forestry Surveys</p>	<p>Forestry surveys will be completed on the north and south banks at the proposed dam site and Moberly River area, the Jackfish Lake Road area, and within and adjacent to sites that will be directly affected by the proposed project within the broader Peace Region.</p>	<p>May – November 2012</p>

July and August 2012

Study Name	Description	Timing
	<p>Survey teams, typically comprised of two technicians per team, will be using topographical equipment and a global positioning system (GPS) to conduct the field work. Surveys will include further detailed assessment of proposed clearing boundaries and temporary road access locations.</p> <p>Access will be primarily by road and boat. When the use of helicopter access is determined to be the best method for assessing the proposed route, property owners will be notified in advance.</p>	
<p>Socio-Economic Studies – Socio-Economic Assessment</p>	<p>BC Hydro is undertaking a socio-economic assessment, which covers topic areas including: economic, land and resource use, social, visual resources, human health, and First Nations community assessments.</p> <p>Socio-Economic study team members will be following up with local government, government agencies, businesses and First Nations communities to gather and confirm baseline information within each potential effect topic areas.</p>	<p>May - September 2012</p> <p><i>Effects assessment phase</i></p>
<p>Wildlife Studies – Migratory Birds Study Program</p>	<p>BC Hydro will conduct migratory bird field studies to gather data on the presence and habitat use of migrating birds within the Peace River valley and within and adjacent to sites that will be directly affected by the proposed project.</p> <p>Work will include ground based surveys (boat, foot and/or vehicle based) which will be completed using point count surveys.</p> <p>All birds heard singing or observed at stations and along transects between stations will be recorded.</p>	<p>July – September 2012</p>
<p>Wildlife Studies – Dragonfly Study</p>	<p>BC Hydro is conducting a dragonfly study to address data gaps regarding the dragonflies and damselflies, collectively known as Odonates, present in the vicinity of the proposed project area.</p> <p>Surveys will occur within the Peace River valley, within and adjacent to sites that will be directly affected by the proposed project, along the transmission line, and within the broader Peace Region between May and August 2012.</p>	<p>May – July 2012</p>

July and August 2012

Study Name	Description	Timing
	<p>This field study will build on the surveys BC Hydro conducted in 2008. Sampling will be conducted by a dragonfly expert and field technician. A variety of aquatic habitats will be sampled, including bogs, gravelly and muddy streambeds, riverbanks, marshy areas, roadside ditches, river backchannels, and beaver impoundments.</p> <p>Accessing properties for the field studies will be through a mix of road, quad and foot. A boat may be required to access some portions of the river where there are no roads to access the required locations.</p>	
<p>Wildlife Studies – Bat Study</p>	<p>BC Hydro is conducting bat surveys to determine species presence and assess the potential for summer roost sites and hibernacula.</p> <p>Surveys will occur within and adjacent to sites that will be directly affected by the proposed project, along the transmission line, and within the broader Peace Region.</p> <p>Accessing properties for the field studies will be ground based (foot and vehicle).</p>	<p>April – August 2012</p>
<p>Wildlife Studies - Avian Study Program</p>	<p>BC Hydro will be conducting avian field studies within and adjacent to the Peace River valley between Hudson's Hope and the Alberta border.</p> <p>The objectives of the studies are to gather baseline data on the presence and habitat use of select bird species.</p> <p>Work will include ground based surveys (boat, foot and/or vehicle based). Surveys will be completed using a combination of call playbacks, point counts and nest searches.</p>	<p>April – July 2012</p>
<p>Wildlife Studies – Fisher Study Program</p>	<p>BC Hydro is conducting a study to further the understanding of fisher habitat use and movement patterns in and adjacent to the Peace River Valley. The study area extends from the Peace Canyon Dam to the confluence of the Pine and Peace Rivers on both sides of the Peace River.</p> <p>Fishers are members of the weasel family. They are about 60 cm in length and weigh 3 to 5 kg (6 to 11 lbs).</p>	<p>December 2010 – April 2013</p>

July and August 2012

Study Name	Description	Timing
	<p>Animals that have been fitted with radio-transmitters will be located monthly, via fixed-wing aircraft flights. Weekly locations will be obtained during ground visits during the breeding season to identify den sites (April through June). Weekly locations will also be obtained all year in some areas.</p> <p>Habitat assessments will be conducted at key fisher locations (e.g., den sites, rest sites) to document characteristics associated with the site.</p>	
<p>Vegetation Assessment – Rare Plants Study</p>	<p>BC Hydro is conducting rare plant surveys to collect additional baseline data on locally, provincially, nationally and globally rare plants within the proposed project area. This field study will build on the rare plant surveys BC Hydro conducted in 2005, 2006, 2008 and 2011.</p> <p>Surveys will occur within the Peace River valley, within and adjacent to sites that will be directly affected by the proposed project, along the transmission line, and within the broader Peace Region.</p> <p>Rare plant surveys will take place over a minimum of two sample periods, widely-separated across the growing season, to ensure that plants with different times of emergence and flowering are sampled in their prime condition.</p> <p>Specimens may be collected for later confirmation of field identification. Photos will be taken to record occurrences and when it may not be appropriate to remove a specimen due to small numbers of individual plants.</p> <p>Accessing properties for the field studies will be through a mix of road, quad and foot. A boat may be required to access some portions of the river where there are no roads to access the required locations.</p>	<p>June – August 2012</p>
<p>Vegetation Assessment – Habitat Mapping Ground Surveys</p>	<p>Terrestrial Ecosystem Mapping (TEM) surveys and ground truthing for the wildlife species models will be completed in the Peace Region.</p> <p>The surveys will verify the results and increase the accuracy of the 1:50,000 biophysical map of the region that was updated in 2010 and conduct the</p>	<p>May – August 2012</p>

July and August 2012

Study Name	Description	Timing
	<p>ground truthing needed to finalize draft wildlife species models.</p> <p>Several ecosystems mapped on the TEM may represent ecological communities at risk. These sites will also be targeted for field sampling in order to verify the occurrence of these communities.</p> <p>Field sampling will be conducted by foot and or boat.</p>	
<p>Physical Environment Studies – Baseline Groundwater Monitoring</p>	<p>BC Hydro is conducting water well monitoring and sampling between July and August 2012. The water is being monitored and sampled to establish the baseline quality in the project area and will be used to assess the potential effects of the Site C project on the water quality in the area.</p> <p>Key locations have been selected within the Peace River Valley near the proposed dam site and between Fort St. John and Hudson’s Hope including, along Highway 29, in the Bear Flat area, near Halfway River, near Farrell Creek and near Lynx Creek.</p> <p>Field technicians will be on private property a maximum of one hour to collect water samples from interior or exterior taps. The water samples will be submitted to a laboratory for enhanced potability, or drinkability, testing.</p>	<p>July - August 2012</p>
<p>Physical Environment Studies – Geomorphology and Sediment Transport Studies</p>	<p>BC Hydro is continuing geomorphology and sediment transport studies from 2010 and 2011.</p> <p>These studies will characterize baseline river geomorphology, or shape of the river channels, and sediment transport rates at sites along the Peace River and its tributaries. They will be used to assess the potential effects of the Site C project on river geomorphology, and specifically, potential changes in water turbidity, fish habitat and areas of erosion or deposition.</p> <p>Suspended sediment gauging stations, including turbidity sensors anchored to the river bed with a cable running up the river bank to data loggers housed in metal cases, will be re-installed at six of the locations used in 2010 and 2011 (Peace River, Kiskatinaw River, Pine River, Halfway River, Moberly River and Farrell Creek), and three new turbidity</p>	<p>April – November 2012</p> <p><i>Installation of new turbidity stations will occur in July.</i></p>

July and August 2012

Study Name	Description	Timing
	<p>stations will be installed on the Peace River upstream and downstream of the proposed Site C construction site.</p> <p>There will be regular site visits between April and October 2012 to collect data, check equipment and perform maintenance.</p> <p>Field crew access will be by boat and foot.</p>	
<p>Physical Environment Studies - Climate & Air Quality Monitoring in the Peace River Valley</p>	<p>BC Hydro is collecting climate and air quality data from eight monitoring stations on private and BC Hydro owned land between Hudson’s Hope and Old Fort, south of Fort St. John. Up to seven new climate monitoring stations are planned to be installed in August and/or September in the Peace River watershed.</p> <p>Information on various climate parameters will be gathered, including: air temperature, humidity, wind speed and direction, fog frequency and density, snow depth and precipitation. Monitoring of particulate matter (mixture of solid particles and liquid droplets in the air) will be conducted at Old Fort and Halfway River.</p> <p>These data will be used to establish baseline conditions and to inform the effects assessment of the Site C project on in-valley climate and air quality in the area. Stations in the watershed will also be used to forecast periods of high tributary inflows for construction planning.</p> <p>Stations are visited regularly to retrieve data and for maintenance. Access to the monitoring stations is by vehicle, foot and helicopter.</p>	<p>July and August 2012</p> <p><i>Ongoing monitoring from February 2009.</i></p>
<p>Fish and Aquatics Studies – Peace River Fish and Fish Habitat Inventories</p>	<p>The 2012 fish and fish habitat inventories will build on data from previous years to expand knowledge of the Peace River fish communities and contribute to existing baseline data and the current understanding of fish and fish habitat in the Site C study area.</p> <p>The study areas are as follows:</p> <ul style="list-style-type: none"> • The Peace River study area includes from the Peace Canyon Dam into Alberta. • Halfway, Moberly, Pine and Beatton Rivers 	<p>May – November 2012</p>

July and August 2012

Study Name	Description	Timing
	<ul style="list-style-type: none"> Project activity sites associated with the construction of the project (e.g., gravel pits, transmission line, highway realignment) <p>The Peace River study period will occur during three seasons: spring (May); summer (August); and fall (October). The Beatton River study will occur in summer (August).</p> <p>Sample effort will be based on the number of sites that can be completed per crew-day using a particular fish capture method.</p> <p>A variety of sampling methods will be employed, including boat electrofishing, backpack electrofishing, and gill nets</p>	
<p>Fish and Aquatics Studies – Peace, Pine, Moberly and Halfway River Fish Movement</p>	<p>Building on the 2010 and 2011 fisheries studies, the 2012 study will build understanding of the movement of fish in the Peace River and its tributaries.</p> <p>The study will also document the abundance and timing of movement of fish that move downstream from the Halfway, Pine and Moberly rivers into the Peace River, and downstream in the Peace River past the proposed Site C dam site during the open water period. The study will further describe the biological characteristics and relative abundance of fish collected by the rotary screw traps.</p> <p>There will be five rotary screw traps placed in the rivers. Each trap is housed in a pontoon structure approximately 4m by 7m and will be operated from May through October.</p> <p>The study area includes the lower sections of the Pine, Halfway and Moberly rivers (one kilometre upstream from the confluence with Peace River), and the Peace River in the immediate vicinity of the Moberly River confluence.</p> <p>Sampling will occur seven days per week.</p> <p>Access to the sites will be by boat.</p>	<p>May – November 2012</p>

MONTHLY FIELD STUDIES SUMMARY

– 9 –

<p>Fish and Aquatics Studies – Aquatic Productivity and Modelling Study</p>	<p>Initiated in 2010, and continued in 2011, the Peace River Aquatic Productivity and Modelling Study assesses current levels of aquatic productivity to predict productivity changes resulting from reservoir creation.</p> <p>In 2012, the study will collect seasonal baseline data to gain an understanding of the current levels of invertebrate, primary production and nutrient dynamics in the system; and assess, determine and run the appropriate predictive modelling for assessing productivity in the current and post reservoir aquatic environment.</p> <p>The 2012 field sampling plan will include the same sampling sites used during the 2010 and 2011 studies: Williston and Dinosaur Reservoirs and the Peace, Halfway, Moberly, Pine and Beatton Rivers.</p>	<p>May – November 2012</p>
<p>Engineering Investigations – Construction Materials Investigations</p>	<p>BC Hydro is conducting investigations to confirm sources of construction materials for the Site C dam and project components at Portage Mountain, approximately 14 kilometres west of Hudson’s Hope.</p> <p>The studies will include subsurface investigations, as well as evaluating the terrain and vegetation conditions in order to investigate potential alignments for access roads.</p> <p>To conduct the drilling program, a heli-portable drill rig will be used. Prior to the start of any drilling, BC Hydro will carry out archaeological and environmental assessments.</p> <p>To investigate access road alignments, field crews will be looking at the terrain and vegetation to assess the alignments for access roads. This work involves either walking proposed access routes, or using a helicopter to conduct an aerial assessment.</p>	<p>August – September 2012</p>
<p>Engineering Investigations – Geotechnical Investigations and Instrumentation Monitoring</p>	<p>To gather more information about ground conditions, BC Hydro is continuing geotechnical investigations at the proposed dam site area.</p> <p>The study will include subsurface investigations involving using a drill rig to drill holes. Prior to the start of any drilling, BC Hydro will carry out archaeological and environmental assessments. In most of the drill holes, geotechnical instruments will</p>	<p>May – September 2012</p>

	<p>be installed to monitor ground movement and groundwater levels.</p> <p>There are approximately 80 sites throughout the reservoir area where geotechnical instruments are installed. These sites are visited approximately every three to six months throughout the year for reading and maintenance. Over the spring and summer months, some instrumentation sites will have data loggers installed. During the first one to three months following, monthly manual readings may be taken to verify that the instruments are functioning correctly. Subsequently, regular inspections, manual readings and maintenance of instrumentation and data loggers will be carried out every three to six months.</p> <p>This program consists of investigations on both private and Crown land. To maximize safety and efficiency, helicopters will be used periodically to access the south bank at the dam site for the subsurface investigations, as well as instrumentation sites along the south bank.</p>	
<p>Engineering Investigations – Adit Construction</p>	<p>BC Hydro will commence construction on an adit on the south bank of the Peace River at the dam site.</p> <p>This work will include the excavation of the adit and the installation of ventilation and lighting.</p> <p>Site preparation activities, including environmental and archaeological investigations, were completed this spring.</p> <p>A track mounted roadheader mining machine and track mounted and rubber tired support vehicles will be used during the construction. Access to the site will be through existing roads on the south bank of the Peace River.</p>	<p>June – October 2012</p>

Note: Access to public and private land may be required in order to complete study work. BC Hydro will obtain permission from land owners and provide notification to BC Hydro leaseholders before entry onto private or leased lands.