



File: 9000802

November 8, 2023

British Columbia Hydro And Power Authority  
12th Floor - 333 Dunsmuir Street  
Vancouver, BC  
V6B 5R3

Dear Sir or Madam,

**Re: Order Associated with Section 10 Use Approval Application – 9000802**

An Order under Section 26 (1) (d) of the *Water Sustainability Act* has been issued to amend clause 2 in the original Approval 9000802 that was issued March 21, 2023.

The permit holder is required to adhere to all other applicable Provincial and Federal Regulations; including, but not limited to, the *Water Sustainability Act* and the *Water Sustainability Regulation*.

The *Water Sustainability Act* gives the recipient of this notice the right to appeal my decision. You may file an appeal within 30 days of the date indicated on this letter. Information on filing an appeal can be found on the Environmental Appeal Board website at <http://www.eab.gov.bc.ca/>.

Dave Francis  
Water Manager

# Province of British Columbia

## *Water Sustainability Act*

---

### ORDER

#### SECTION 26(1)(d)

In the matter of Section 10 Use Approval, file No. 9000802 for Peace River water diversion by British Columbia Hydro and Power Authority.

I hereby amend clause 2 to read as follows:

2) The point of diversion zone is located between:

- Lat: 55.977195 Long: -122.007879 and Lat: 56.038142 Long: -121.889009
- Dinosaur Lake Campground point of diversion authorized from November 3, 2023 to December 31, 2023.

The permit holder is required to adhere to all other terms and conditions in Approval file No. 9000802 and applicable Provincial and Federal Regulations.

Dated at the City of Prince George, British Columbia, this 8<sup>th</sup> day of November 2023.



Dave Francis  
Water Manager



March 21, 2023

Job Number: 124728  
vFCBC Tracking Number: 100410300

BC Hydro & Power Authority  
17th Floor-333 Dunsmuir ST  
Vancouver, BC V6B 5R3

Dear BC Hydro & Power Authority,

Use Approval – Hudson’s Hope Berm (File 9000802)

---

Approval for the above has been granted and is attached for your perusal.

The Approval holder is required to adhere to all other applicable Provincial and Federal regulations.

We wish to inform you that the Peace River serves as a spawning and rearing area for fish. The protective requirement of the federal *Fisheries Act* must be met. Accordingly, it will be necessary for you to screen your water intake to protect against entry of small fish as per Freshwater Intake End-of-Pipe Fish Screen Guidelines (Department of Fisheries and Oceans, 1995). Please refer to the Fisheries and Oceans Canada Web-site ([www.dfo-mpo.gc.ca/Library/223669.pdf](http://www.dfo-mpo.gc.ca/Library/223669.pdf)) for this publication.

Section 105 of the *Water Sustainability Act* gives the recipient of this notice the right to appeal my decision. You may file an appeal within 30 days of the date indicated on this letter. Information on filing an appeal can be found on the Environmental Appeal Board WEB site at <http://www.eab.gov.bc.ca/>.

Sincerely,

A handwritten signature in cursive script that reads "Dave Francis".

Dave Francis  
Water Manager



## Section 10 (1) Use Approval

**British Columbia Hydro and Power Authority, 12<sup>th</sup> Floor-333 Dunsmuir Street, Vancouver, BC V6B 5R3** and their agents are hereby authorized to divert and use water as follows:

- 1) The stream on which the rights are granted is the Peace River.
- 2) The point of diversion zone is located between:
  - Lat: 56.021602 Long: -121.919615 and Lat: 56.038142 Long: -121.889009
- 3) This Approval does not authorize entry onto privately held or Crown land.
- 4) The purposes for which water is to be used under this Approval is Industrial as listed below;
  - Water Well Drilling and Transportation or Utility Corridor Management
  - Vehicle and Equipment
- 5) The maximum total annual volume of water that can be diverted under this Approval is 61,650 cubic metres per year. The maximum daily withdrawal is 250 cubic metres per day and the pump rate shall not exceed 0.5 cubic metres per second.
- 6) This Approval has been granted to use the water from April 1, 2023 to March 31, 2025.
- 7) The holder of this Approval shall take reasonable care to avoid damaging any land, works, trees or other property, and shall make full compensation to the owners for any damage or loss resulting from the exercise of the rights granted with this Approval.
- 8) The works authorized are screened intakes, pumps, pipelines or hoses and water trucks.
- 9) The holder of this Approval will initiate those sections under the Environmental Impact Statement (EIS), as it relates to this project to protect fish and fish habitat, vegetation and ecological communities, wildlife and heritage resources associated with these works.
- 10) The intake shall be screened in accordance to the Department of Fisheries and Oceans Freshwater Intake End-of-Pipe Fish Screen Guideline and as described in the Construction Environmental Management Plan - Site C Clean Energy Project, June 5, 2015” (CEMP).
- 11) Authorized equipment shall be free of external grease, oil or fluid leaks while operating in the vicinity of any watercourse.

- 12) To limit the spread of invasive weeds, all authorized equipment used shall be inspected and weeds shall be removed before leaving the intake site.
- 13) This Approval does not authorize any in-stream work.
- 14) Daily and total volumes of water diverted for this project shall be retained and made available for review upon request.
- 15) A copy of this Approval and the water records must be available upon request and retained by the various pump operators/contractors for inspection.
- 16) The Holder of this Approval must ensure that any incidence of high significance of non-conformance to conditions of this Approval are reported to IE or IEM within 24 hours of discovery and the submission of a report within 5 days of that occurrence, in a form and manner acceptable to the Water Manager.



Dave Francis  
Water Manager