Field Studies Information Sheet

PEACE RIVER SITE C HYDRO PROJECT

September 2009 Field Study Overview

BC Hydro is conducting environmental and engineering field studies on and around the Peace River, between the Williston Reservoir and the B.C.-Alberta border, as part of the evaluation of the potential Site C project. An overview of studies that will be taking place in September is below. Additional study activities may occur; notice of these studies will be posted at www.bchydro.com/sitec.

Field Study (additional details are attached)
Wildlife Studies in the Peace River Region – Tree Cavity Assessments
Peace River Tributary Fish Studies
Peace River Tributary Fish Studies – Fish Fence on the Moberly River
Peace River Fish Telemetry Studies
Peace River Angler and River-Based Recreational Use Study
Reading of Slope Monitoring Instrumentation along the Peace River
Wind Monitoring in the Peace River Region
Foundation Pump Testing on the North Bank of the Potential Dam Site
Geotechnical Investigations on the South Bank of the Potential Dam Site
Investigation for Potential Sources of Construction Material

Because much of the information currently known about the potential Site C project is almost 25 years old, information from new field studies is required to update engineering, environmental studies, and other technical work.

No decision has been made to build Site C. BC Hydro is taking a stage-by-stage approach to the evaluation of the potential project and is currently in Stage 2 – Project Definition and Consultation.

Some field studies may require access to public and private land. BC Hydro will obtain permission before accessing private property.

Field study updates are available at **www.bchydro.com/sitec** and in the Community

SITE C FIELD STUDIES

- Ongoing, regular BC Hydro operations work may also be taking place on the Peace River and tributaries. This work is in addition to the Site C field study activities outlined here and is a component of BC Hydro's Peace River water license requirements program. For more information about this work, please visit www.bchydro.com/planning_regulatory/water_use_pla pping (northern_interior html)
- Golder Associates Ltd. have been employed by BC Hydro to provide environmental and archaeological monitoring during geotechnical investigations. BC Hydro has also invited representatives of First Nations to monitor geotechnical work.

Consultation Office: 9948–100th Avenue, Fort St. John.

For further information, please contact: Kate O'Neil Community Relations, Site C Project 9948 – 100th Ave., Fort St. John, BC V1J 1Y5 (250) 785 – 3420

BChydro

FOR GENERATIONS

www.bchydro.com/sitec

September 2009 Field Studies Information Sheet

Study Name	Description	Timing
Wildlife Studies in the Peace River Region - Tree Cavity	BC Hydro is conducting tree cavity assessments in the Peace River area. The surveys will identify large trees capable of supporting cavities	September 2009
Assessments	(hollow spaces) suitable for use by fisher as maternal den sites both in the Peace River Valley and in the surrounding upland forests.	Ongoing studies from July 2009
	Access to public and private land will be required in order to complete this survey work. BC Hydro will obtain permission from land owners and leaseholders before accessing private property.	
Peace River and Tributaries Fish Studies	BC Hydro continues to conduct fisheries studies on the Peace River and tributaries. The studies involve collecting baseline fisheries information from the Peace River and tributaries by sampling (and releasing) fish by boat, backpack electro-fishing, beach seines (vertical fishing nets) and fish traps.	September 2009 Ongoing studies in the spring,
	Sampling site access will be conducted by foot and boat in the spring, summer and fall. Access to remote sampling sites will be by helicopter. The following sites will be surveyed: Peace River, Moberly River and Halfway River.	summer and fall
Peace River and Tributaries Fish Studies - Fish Fence on the	As part of BC Hydro's ongoing fisheries studies on the Peace River and tributaries, a temporary fish fence will be installed in the lower Moberly River.	September 30 to October 29, 2009
Moberly River	The fence will be located upstream of the confluence of the Peace River and will be in operation from September 30 to October 29, 2009.	
	There will be a removable panel to allow boat traffic to pass and the fence will be attended by fisheries technicians daily during daylight hours. Signage will be placed 200 metres up and downstream of the fence. As the water level in the Moberly River will be very low during this time, minimal boat traffic is anticipated.	
	The fish fence will assist in counting adult mountain whitefish moving upstream and recording fish species moving downstream to the Peace River. A <i>Navigable Waters Protection Act</i> permit is required for this work.	

BC hydro

September 2009 Field Studies Information Sheet

Peace River Fish	BC Hydro continues to conduct periodic aerial surveys over the	September
Telemetry	Peace River in the Fort St. John area to determine the locations and	2009
Studies	movement of radio-tagged fish in the Peace River and tributaries.	
	These surveys began in April and will continue until fall 2009.	Ongoing
		studies
	Helicopter and airplane flyovers will be conducted every three	
	weeks on:	Overflights
	Peace River mainstem from the Peace Canyon Dam	every three
	downstream to the B.CAlberta border and potentially as far as Peace River, Alberta	weeks
	Halfway River from the mouth to the upper headwater	Monthly
	tributaries	access to
	 Pine River to the upper extent of the Sukunka and Burnt 	telemetry
		stations
	rivers, and the Murray River to Kinuseo Falls	stations
	Beatton River to the Doig River confluence	
	In addition to aerial surveys, telemetry stations are set-up on the	
	ground to track the movement of radio-tagged fish as they move	
	past these stations in the Peace River and tributaries.	
	Telemetry stations are located on the:	
	 Moberly River, Beatton River, Pine River, Halfway River 	
	Researchers will access the telemetry station sites every three weeks	
	by vehicle, ATV, helicopter and foot.	
Peace River	BC Hydro is conducting a multi-year angler and river-based	September
Angler	recreation use survey along the Peace River and tributaries between	2009
and River-Based	Peace Canyon Dam and the B.C.–Alberta border.	
Recreational Use		Surveys to run
Survey	This study will result in a detailed survey of current angler and	monthly
Jaivey	recreational use and valid estimates of total angler effort and catch	through to fall
	each year. Estimates of angler effort will be made using flyovers of	2009
	the study area in fixed-wing aircraft.	2007
	The average catch will be estimated from shore-based interviews at	
	boat landing or fishing sites. Flyovers and interviews will be	
	conducted on a monthly basis through to fall 2009.	



September 2009 Field Studies Information Sheet

Reading of Slope Monitoring Instrumentation along the Peace River	BC Hydro is conducting a program to read slope monitoring instruments and to confirm and document surface geology at various sites along the north and south banks of the Peace River, upstream from the potential Site C dam area. The monitoring of instrumentation on the north bank will continue weekly throughout the summer. The monitoring of instrumentation on the south bank commenced in May and will take place every four months. North bank access will be by vehicle via the existing north bank access road. South bank access will be by helicopter and foot.	September 2009 North bank: ongoing weekly monitoring South bank: ongoing monitoring
Wind Monitoring in the Peace River Region	BC Hydro has initiated the collection of wind data to assist in engineering evaluations for the potential Site C project. Five temporary wind monitoring stations have been placed on private and BC Hydro owned land between Hudson's Hope and the potential Site C dam location. Stations will be visited regularly to retrieve data. Access to the monitoring stations will be by vehicle.	September 2009 Ongoing monitoring from February 2009
Foundation Pump Test on the North Bank of the Potential Dam Site	 BC Hydro is studying bedrock permeability at the north bank of the potential dam site. A number of boreholes will be carried out to allow examination and instrumentation of the bedrock formation. Drilling will continue throughout the months of August and September, with testing continuing throughout the fall and into the winter. Environmental and archaeological monitoring will be conducted during the investigations. North bank access will be by vehicle via the existing north bank access road. 	August – November 2009 Ongoing studies
Geotechnical Investigations on the South Bank of the Potential Dam Site	BC Hydro is investigating the foundation on the south bank of the potential dam site. Drilling of two boreholes will be carried out to allow examination and sampling of the foundation bedrock. Environmental and archaeological monitoring will be conducted during the investigations. South bank access will be by river boat from the north bank of the proposed dam site. Access to the north bank will be by vehicle via the existing north bank access road.	September 2009

BChydro

September 2009 Field Studies Information Sheet

Investigations	BC Hydro is conducting investigations to find sources of material	September
for Potential	that would be needed to construct the potential Site C dam, if the	2009
Sources of	project were to proceed.	
Construction		Tests
Material	BC Hydro's conceptual design for the potential Site C dam is an earth filled dam with a core of impervious fill material, such as glacial till. This material would act as the primary barrier to prevent water movement through the structure. Investigation of feasible sources of impervious fill materials within 10 kilometres of the potential dam site is part of engineering activities planned for Stage 2. Investigations are being conducted on the north bank of the Peace River between the river and the Alaska Highway, from Fort St. John to Charlie Lake. Current investigation work requires access to private land. BC Hydro will arrange permission before accessing private land. Environmental and archaeological monitors will be present during geotechnical	continuing through fall 2009
	work.	



www.bchydro.com/sitec